

News

- Deliverable dates now on Web page
- Three iterations with use cases, prototypes
- First deliverables due in three weeks
- Discussion board now available

User Interface Design and Usability Software Engineering Rahul Premraj + Andreas Zeller • Saarland University Credits: Robert Miller, MIT Mary Czerwinski, MSR

http://www.ingenfeld.de/

What is good design?



Don't go to the right?



http://www.baddesigns.com/examples.html

Check the link for examples of bad designs.

What do these symbols mean?





Real example from a (expensive) car (as in the picture, no idea which model)---the icons on the buttons placed on the car's dashboard are unclear. I have highlighted the vague ones in red.

It is not obvious which label belongs to which field.

How much is the gas?



Interfaces.



Some non-apple "cool" interfaces.


Interface

definition

interface

- n. Computer Science
- The point of interaction or communication between a computer and any other entity, such as a printer or human operator.
- The layout of an application's graphic or textual controls in conjunction with the way the application responds to user activity: an interface whose icons were hard to remember.






Super cool chopstick - the front end doesn't touch the table.



What is Design?



2007 Balenciaga Collection It is easy to overdo design and make the product utterly useless.



User is centric to design. Every decision should be made keeping the user in mind.

User-Centric Design

- Cost saving!
- Competitive market user expectations.
- Political demands
- Is Help always helpful?

.

Human Capabilities

- Memory
- Attention
- Visual Perception
- Learning
- Color
- Language + Communication
- Ergonomics

Memory



- Associations are built by repetition.
- Scaffold model (more likely to remember items that have many associations).
- Recognition is easier than recall.
- Working memory has small capacity.
- Long-term memory has large capacity.

Attention



- Attention is a resource gets divided amongst tasks.
- Automatic well-learnt processes not need much attention.
- Important to get (for you as a designer).

Visual Perception



- We excel at pattern recognition.
- We automatically try to organize visual displays and look for cues.
- Motion, grouping, contrast, color can make different parts of a display more or less

Learning



- Learning is improved by organization.
- Consistency and mnemonics improve learning.
- Targeted feedback facilitates learning.
- Learning occurs across people and organizations.


Learning



- Incrementally presented information accelerates learning.
- Some users like to explore systems to learn; others will not.
- Workers focus on accomplishing tasks, not learning software.

Color






- 8% of males
- 0.4% of females
- Blue-yellow color blindness (tritanopia)
 - Far more rare
- Guideline: don't depend solely on color distinctions
 - use redundant signals: brightness, location, shape


Protanopia = absence of red receptors Deuteranopia = absence of green receptors Tritanopia = absence of blue receptors



Traffic lights are readable even for color-blind people (due to location of lights). Also notice the blueish tint in the "green" light.



Example of an Ishihara color test plate.[Note 1] The numeral "74" should be clearly visible to viewers with normal color vision. Viewers with dichromacy or anomalous trichromacy may read it as "21", and viewers with achromatopsia may not see numbers. [Wikipedia[



Here's another one. Readers with normal vision are not supposed to clearly see a number here.

Language + Communication



syntax, semantics, pragmatics; conversational interaction, specialized languages


Ergonomics



arrangement of displays and controls; cognitive and sensory limits; effects of display technology; fatigue and health; furniture and lighting; design for stressful and hazardous environments; design for the disabled...


Where does user-centered design fit into the development process?

Traditional Waterfall Model Requirements Design Acceptance Release



Waterfall Model Poor for UI Design


- UI design is risky.
 - So we are likely to get it wrong.
- Users are not involved in validation until acceptance testing.
 - So we won't find out until the end.
- UI flaws often cause changes in requirements and design.
 - So we have to throw away carefully written and tested code.



Iterative design is the current best-practice process for developing user interfaces. It's a specialization of the spiral model described by Boehm for general software engineering.

Why NOT Iterative Design?


- Every iteration corresponds to a release
 - Evaluation (complaints) feeds back into next version's design
- Using your paying customers to evaluate your usability
 - They won't like it
 - They won't buy version 2





each iteration has a cost or fidelity or accuracy


Spiral Model Iterations

- Early iterations use cheap prototypes (paper prototyping).
- Later iterations have richer implementations.
- More iterations generally means better UI.
- Only mature iterations are seen by the world.






















One may also compose parts of these on a computer, of course (at various levels of detail, up to a full-fledged mockup)

Benefits

- Fast way to mock up an interface no coding required.
- Finds a variety of problems with the interface.
- Allows an interface to be refined based on user feedback before implementation begins.
- A multidisciplinary team can participate.
- Encourages creativity from the product team and users alike.

Credits: Paper Prototypin

Disadvantage

- Doesn't produce any code.
- Does not find all classes of problems with an interface.
- Can affect the way users interact with the interface.
- Users might think it is unprofessional.
- Has stronger benefits in some situations than in others.

For 2nd pt., imagine you need to test how to draw a curved line on Adobe Photoshop or how to operate an ego shooter. Paper prototyping is not the best way!

Credits: Paper Prototypin

UI Analysis & Design

- Iterative Design using a Spiral Model.
- Early focus on users and tasks.
 - User analysis: who the users are.
 - ▶ Task analysis: what they need to to?
 - Involve users as evaluators, consultants and sometimes designers.
- Constant Evaluation

Know Your User

- Novice
- Knowledgeable, intermittent user
- Knowledgeable, frequent user
- Age, gender, ethnicity
- Physical abilities

- Domain experience
- Application experience
- Work environment
- Communication patterns

Know Your User

- Techniques
 - Questionnaires
 - Interviews
 - Observations
- Obstacles
- Artificial barriers between developers and users.
- Some users are expensive to talk to.

User Design Principles



Usability Principles

Jakob Nielsen




Nielsen's 10 Principles Of UI Design

Nielsen's Principles

- I. Match the real
- 2. Consistency and Standards
- 3. Help and Documentation
- 4. User Control and Freedom
- 5. Visibility of System Status
- 6. Flexibility and Efficiency
- 7. Error Prevention
- 8. Recognition, not Recall
- Error Reporting, Diagnosis, Recovery
- 10. Aesthetic and Minimalist Design





Match the Real World

- Examples
 - Desktop
 - Trashcan
- Dangers of metaphors
 - · Often hard for designers to find
 - Deceptive
 - Constraining
 - Breaking the metaphor
- Use of a metaphor doesn't excuse other bad design decisions

Direct Manipulation

- User interacts with visual representation of data objects
 - Continuous visual representation
 - Physical actions or labeled button presses
 - Rapid, incremental, reversible, immediately visible effects
- Examples
 - Files and folders on a desktop
 - Scrollbar
 - Dragging to resize a rectangle
 - Selecting text
- Visual representation and physical interaction are important

Affordances

of direct manipulation

- Perceived and actual properties of a thing that determine how the thing could be used
 - Chair is for sitting
 - Knob is for turning
 - Button is for pushing
 - Listbox is for selection
 - Scrollbar is for continuous scrolling or panning
- Perceived vs. actual

Natural Mapping


- Physical arrangement of controls should match arrangement of function
- Best mapping is direct, but natural mappings don't have to be direct
 - Light switches
 - Stove burners
 - Turn signals
 - Audio mixer




Feedback / Responsiveness


- · Actions should have immediate, visible effects
 - Push buttons
 - Scrollbars
 - Drag & drop
- Kinds of feedback
 - Visual
 - Audio
 - Haptic (conveyed by sense of touch)









Help should be (a) searchable, (b) context-sensitive, (c) task senstitive, (d) concrete, (e) short, (f) ${\bf not}$ ${\bf needed}$




Provide Undo Long operations should be allowed to be paused/suspended all dialogs should have a cancel button



change cursor to indicate action use highlights to show selected objects use status bar to show progress



Recently-used history is one very useful kind of shortcut, like this recently-used files menu



Murphy's Law - "if something can go wrong, it will"

One way to prevent errors is to allow users to **select** rather than **type**. Misspellings then become impossible.



use menus, not command languages use combo boxes, not textboxes use generic commands all needed information must be visible



A good error message should (1) be precise; (2) speak the user's language, avoiding technical terms and details unless explicitly requested; (3) give constructive help; and (4) be polite



Microsoft designs the iPod package



If you look at a recent Microsoft package, they have learned (copied) a lot.

User Interface Testing

- How do you know you did everything well?
- Only way: Have real users test it!

Email "A Tale of Two Cities"

This task was performed using Suse 9.3 in a Portable Lab on the GNOME desktop. The test was administered in English. The following is a description of the task:

Your friend Arthur loves "A Tale of Two Cities". Please email the electronic book to him. His email address is arthur@ximian.com.



Task: Email A Tale of Two Cities to arthur@ximian.com; Subject14 http://www.betterdesktop.org/wiki/index.php?title=Data

Issues Encountered

- Mail Client is referred to as "Evolution" (not "Mail" or similar)
- "Send/Receive" Button does not compose mail (but syncs with server)
- · Attachment list hidden by default
- 20% of users failed to send mail
- Average successful time was 4:23 minutes

http://www.betterdesktop.org/ welcome/reports/report-emailbook.html

Reaction

 Typically, when project managers observe their design undergoing a usability test, their initial reaction is:

Where did you find such stupid users?

Eye tracking U.S. Census Bureau U.S. Solidate Bureau U.

The following heatmap from one of our eyetracking studies shows how users looked at this homepage. Their task was to find the current population of the United States.

GUI Hall of Shame





This and the following are poor examples of GUI design. In this slide, there is basically so many options, full of text, non-descriptive icons.

Too many tabs???

Tabs



Rewind




Help




In Microsoft Assistant Killed in Denver, it was reported that Microsoft program managers demonstrated a technique to kill the assistant to a crowd attending a development conference.

MS super letter writing assistant!



On MS-word, there are so many possible effects on the same text. Note that options such as Strikethrough and Doublestrikethough can be opted together for the same text. Similarly subscript and supersubscript.





"503 polite people say hello first"

The poor secretary, confronten with this message, simply typed "mismatch" – without success :-(





The button to control the audio is under "Beamer" (Projector) on the right, but not under "Audio".

