



# Functional Testing

Software Engineering  
Andreas Zeller • Saarland University

1

From Pressman, “Software Engineering – a practitioner’s approach”, Chapter 14 and Pezze + Young, “Software Testing and Analysis”, Chapters 10-11

Today, we’ll talk about testing – how to test software. The question is: How do we design tests? And we’ll start with functional testing.



Functional testing is also called “black-box” testing, because we see the program as a black box – that is, we ignore how it is being written


2



in contrast to structural or “white-box” testing, where the program is the base.

3

If the program is not the base, then what is? Simple: it's the specification.



4

## Testing Tactics

Functional  
"black box"

Structural  
"white box"

- Tests based on *spec*
- Test covers as much *specified* behavior as possible
- Tests based on *code*
- Test covers as much *implemented* behavior as possible

5

If the program is not the base, then what is? Simple: it's the *specification*.

## Why Functional?


Functional  
"black box"

Structural  
"white box"

- Program code not necessary
- Early functional test design has benefits
  - reveals spec problems
  - assesses testability
  - gives additional explanation of spec
  - may even serve as spec, as in XP

6

# Why Functional?



- Best for *missing logic* defects  
Common problem: Some program logic was simply forgotten  
Structural testing would not focus on code that is not there
- Applies at all granularity levels  
unit tests • integration tests • system tests • regression tests

7

Structural testing can not detect that some required feature is missing in the code  
Functional testing applies at all granularity levels (in contrast to structural testing, which only applies to unit and integration testing)

# A Challenge


```
class Roots {  
    // Solve  $ax^2 + bx + c = 0$   
    public roots(double a, double b, double c)  
    { ... }  
  
    // Result: values for x  
    double root_one, root_two;  
}
```

- Which values for  $a, b, c$  should we test?  
assuming  $a, b, c$ , were 32-bit integers, we'd have  $(2^{32})^3 \approx 10^{28}$  legal inputs  
with 1.000.000.000.000 tests/s, we would still require 2.5 billion years

8

2,510,588,971 years, 32 days, and 20 hours to be precise.


# Life Cycle of the Sun



9


Note that in 900 million years, due to increase of the luminosity of the sun, CO<sub>2</sub> levels will be toxic for plants; in 1.9 billion years, surface water will have evaporated (source: Wikipedia on "Earth")

# Life Cycle of the Sun




Note that in 900 million years, due to increase of the luminosity of the sun, CO<sub>2</sub> levels will be toxic for plants; in 1.9 billion years, surface water will have evaporated (source: Wikipedia on "Earth")

10



None of this is crucial for the computation, though.

11



12

# A Challenge

```
class Roots {  
    // Solve  $ax^2 + bx + c = 0$   
    public roots(double a, double b, double c)  
    { ... }  
  
    // Result: values for x  
    double root_one, root_two;  
}
```

- Which values for  $a, b, c$  should we test?  
assuming  $a, b, c$ , were 32-bit integers, we'd have  $(2^{32})^3 \approx 10^{28}$  legal inputs  
with 1.000.000.000.000 tests/s, we would still require 2.5 billion years

13

# Random Testing

- Pick possible inputs uniformly
- Avoids designer bias  
A real problem: The test designer can make the same logical mistakes and bad assumptions as the program designer (especially if they are the same person)
- But treats all inputs as equally valuable

14

One might think that picking random samples might be a good idea.

# Why not Random?

- Defects are not distributed uniformly
- Assume `Roots` applies quadratic equation

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$


and fails if  $b^2 - 4ac = 0$  and  $a = 0$

- Random sampling is unlikely to choose  $a = 0$  and  $b = 0$

However, it is not. For one, we don't care for bias – we specifically want to search where it matters most. Second, random testing is unlikely to uncover specific defects. Therefore, we go for *functional testing*.

15


# Systematic Functional Testing



16

The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

## Testable Features



17

## Testable Features

```

class Roots {
    // Solve  $ax^2 + bx + c = 0$ 
    public roots(double a, double b, double c)
    { ... }

    // Result: values for x
    double root_one, root_two;
}
  
```

Ask audience

- What are the independently testable features?

18

Just one – roots is a unit and thus provides exactly one single testable feature.

# Testable Features




- Consider a multi-function calculator
- What are the independently testable features?



Every single function becomes an independently testable feature. Some functions (like memory access, for instance) are dependent on each other, though: to retrieve a value, you must first store it.  
(Note how the calculator shows the #years required for the Roots calculation.)

19

# Testable Features




The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

20

# Representative Values

- Try to select inputs that are especially valuable
- Usually by choosing representatives of equivalence classes that are apt to fail often or not at all



The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

21


# Needles in a Haystack

- To find needles, look systematically
- We need to find out *what makes needles special*



22

## Systematic Partition Testing



23

We can think of all the possible input values to a program as little boxes ... white boxes that the program processes correctly, and colored boxes on which the program fails. Our problem is that there are a lot of boxes ... a huge number, and the colored boxes are just an infinitesimal fraction of the whole set. If we reach in and pull out boxes at random, we are unlikely to find the colored ones.

Systematic testing says: Let's not pull them out at random. Let's first subdivide the big bag of boxes into smaller groups (the pink lines), and do it in a way that tends to concentrate the colored boxes in a few of the groups. The number of groups needs to be much smaller than the number of boxes, so that we can systematically reach into each group to pick one or a few boxes.

Functional testing is one variety of partition testing, a way of drawing the orange lines so that, when one of the boxes within a orange group is a failure, many of the other boxes in that group may also be failures. Functional testing means using the program specification to draw pink lines. (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

## Equivalence Partitioning


Input condition	Equivalence classes
range	one valid, two invalid (larger and smaller)
specific value	one valid, two invalid (larger and smaller)
member of a set	one valid, one invalid
boolean	one valid, one invalid

How do we choose equivalence classes? The key is to examine input conditions from the spec. Each input condition induces an equivalence class – valid and invalid inputs.

24

# Boundary Analysis

□ Possible test case



- Test at *lower range* (valid and invalid), at *higher range* (valid and invalid), and at *center*

25

How do we choose representatives from equivalence classes? A greater number of errors occurs at the boundaries of an equivalence class rather than at the “center”. Therefore, we specifically look for values that are at the boundaries – both of the input domain as well as at the output.

## Example: ZIP Code



- Input: 5-digit ZIP code
- Output: list of cities
- What are representative values to test?

Ask audience

26

(from Pezze + Young, “Software Testing and Analysis”, Chapter 10)

## Valid ZIP Codes




1. with 0 cities as output (0 is boundary value)
2. with 1 city as output
3. with many cities as output

27

(from Pezze + Young, “Software Testing and Analysis”, Chapter 10)

## Invalid ZIP Codes



4. empty input
5. 1–4 characters  
(4 is boundary value)
6. 6 characters  
(6 is boundary value)
7. very long input
8. no digits
9. non-character data

28

## “Special” ZIP Codes

- How about a ZIP code that reads  
`12345'; DROP TABLE orders; SELECT * FROM zipcodes WHERE 'zip' = '`
- Or a ZIP code with 65536 characters...
- This is security testing

29


## Gutjahr's Hypothesis

Partition testing  
is more effective  
than random testing.

Generally, random inputs are easier to generate, but less likely to cover parts of the specification or the code.  
See Gutjahr (1999) in IEEE Transactions on Software Engineering 25, 5 (1999), 661-667

30


# Representative Values



The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

31


# Model-Based Testing



The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

32

# Finite State Machine



As an example, consider these steps modeling a product maintenance process... (from Pezze + Young, "Software Testing and Analysis", Chapter 14)

33

**Maintenance:** The *Maintenance* function records the history of items undergoing maintenance.

If the product is covered by warranty or maintenance contract, maintenance can be requested either by calling the maintenance toll free number, or through the Web site, or by bringing the item to a designated maintenance station.

If the maintenance is requested by phone or Web site and the customer is a US or EU resident, the item is picked up at the customer site, otherwise, the customer shall ship the item with an express courier.

If the maintenance contract number provided by the customer is not valid, the item follows the procedure for items not covered by warranty.

If the product is not covered by warranty or maintenance contract, maintenance can be requested only by bringing the item to a maintenance station. The maintenance station informs the customer of the estimated costs for repair. Maintenance starts only when the customer accepts the estimate. If the customer does not accept the estimate, the product is returned to the customer.

Small problems can be repaired directly at the maintenance station. If the maintenance station cannot solve the problem, the product is sent to the maintenance regional headquarters (if in US or EU) or to the maintenance main headquarters (otherwise).

If the maintenance regional headquarters cannot solve the problem, the product is sent to the maintenance main headquarters.

Maintenance is suspended if some components are not available.


Once repaired, the product is returned to the customer.

...based on these (informal) requirements  
(from Pezze + Young, "Software Testing and Analysis", Chapter 14)

# Coverage Criteria

- **Path coverage:** Tests cover every path  
Not feasible in practice due to infinite number of paths
- **State coverage:** Every node is executed  
A minimum testing criterion
- **Transition coverage:** Every edge is executed  
Typically, a good coverage criterion to aim for

# Transition Coverage



With five test cases (one color each), we can achieve transition coverage  
(from Pezze + Young, "Software Testing and Analysis", Chapter 14)


# State-based Testing

- Protocols (e.g., network communication)
- GUIs (sequences of interactions)
- Objects (methods and states)

37

Finite state machines can be used to model for a large variety of behaviors – and thus serve as a base for testing.

## Account states



38

Here's an example of a finite state machine representing an Account class going through a number of states. Transition coverage means testing each Account method once. (From Pressman, "Software Engineering – a practitioner's approach", Chapter 14)

# Decision Tables

	Education		Individual					
	Edu discount	Special price	No discount	Special price	Tier 1 discount	Special price	Tier 2 discount	Special Price
Education account	T	T	F	F	F	F	F	F
Current purchase > Threshold 1	-	-	F	F	T	T	-	-
Current purchase > Threshold 2	-	-	-	-	F	F	T	T
Special price < scheduled price	F	T	F	T	-	-	-	-
Special price < Tier 1	-	-	-	-	F	T	-	-
Special price < Tier 2	-	-	-	-	-	-	F	T
Out	Edu discount	Special price	No discount	Special price	Tier 1 discount	Special price	Tier 2 discount	Special Price

39

A decision table describes under which conditions a specific outcome comes to be. This decision table, for instance, determines the discount for a purchase, depending on specific thresholds for the amount purchased. (from Pezze + Young, "Software Testing and Analysis", Chapter 14)

# Condition Coverage

- **Basic criterion:** Test every column  
“Don’t care” entries (–) can take arbitrary values
- **Compound criterion:** Test every combination  
Requires  $2^n$  tests for  $n$  conditions and is unrealistic
- **Modified condition decision criterion (MCDC):**  
like basic criterion, but additionally, modify each T/F value at least once  
Again, a good coverage criterion to aim for

Nicolas and I were going through the slides and found that in the Functional testing lecture, on slide 39, the Basic criterion is swapped with the Compound criterion description, at least from what we know from the Structural testing chapter from the Pezze&Young book. Are we

40

## MCDC Criterion

	Education		Individual					
Education account	F	T	F	F	F	F	F	F
Current purchase > Threshold 1	–	–	F	F	T	T	–	–
Current purchase > Threshold 2	–	–	–	–	F	F	T	T
Special price < scheduled price	F	T	F	T	–	–	–	–
Special price < Tier 1	–	–	–	–	F	T	–	–
Special price < Tier 2	–	–	–	–	–	–	F	T
Out	Edu discount	Special price	No discount	Special price	Tier 1 discount	Special price	Tier 2 discount	Special Price

We modify the individual values in column 1 and 2 to generate four additional test cases – but these are already tested anyway. For instance, the modified values in column 1 are already tested in column 3.  
(from Pezze + Young, “Software Testing and Analysis”, Chapter 14)

41

## MCDC Criterion

	Education		Individual					
Education account	T	T	F	F	F	F	F	F
Current purchase > Threshold 1	–	–	F	F	T	T	–	–
Current purchase > Threshold 2	–	–	–	–	F	F	T	T
Special price < scheduled price	T	T	F	T	–	–	–	–
Special price < Tier 1	–	–	–	–	F	T	–	–
Special price < Tier 2	–	–	–	–	–	–	F	T
Out	Edu discount	Special price	No discount	Special price	Tier 1 discount	Special price	Tier 2 discount	Special Price

This also applies to changing the other values, so adding additional test cases is not necessary in this case.  
(from Pezze + Young, “Software Testing and Analysis”, Chapter 14)

42

# MCDC Criterion

	Education		Individual					
Education account	T	F	F	F	F	F	F	F
Current purchase > Threshold 1	-	-	F	F	T	T	-	-
Current purchase > Threshold 2	-	-	-	-	F	F	T	T
Special price < scheduled price	F	T	F	T	-	-	-	-
Special price < Tier 1	-	-	-	-	F	T	-	-
Special price < Tier 2	-	-	-	-	-	-	F	T
Out	Edu discount	Special price	No discount	Special price	Tier 1 discount	Special price	Tier 2 discount	Special Price

43

# MCDC Criterion

	Education		Individual					
Education account	T	T	F	F	F	F	F	F
Current purchase > Threshold 1	-	-	F	F	T	T	-	-
Current purchase > Threshold 2	-	-	-	-	F	F	T	T
Special price < scheduled price	F	F	F	T	-	-	-	-
Special price < Tier 1	-	-	-	-	F	T	-	-
Special price < Tier 2	-	-	-	-	-	-	F	T
Out	Edu discount	Special price	No discount	Special price	Tier 1 discount	Special price	Tier 2 discount	Special Price

44


However, if we had not (yet) tested the individual accounts, the MC/DC criterion would have uncovered them.  
(from Pezze + Young, "Software Testing and Analysis", Chapter 14)

# Weyuker's Hypothesis

The adequacy of a coverage criterion can only be intuitively defined.

Established by a number of studies done by E. Weyuker at AT&T. "Any explicit relationship between coverage and error detection would mean that we have a fixed distribution of errors over all statements and paths, which is clearly not the case".

45




# Learning from the past

To decide where to put most effort in testing, one can also examine the past – i.e., where did most defects occur in the past. The above picture shows the distribution of security vulnerabilities in Firefox – the redder a rectangle, the more vulnerabilities, and therefore a likely candidate for intensive testing. The group of Andreas Zeller at Saarland University researches how to mine such information automatically and how to predict future defects.

## Pareto's Law

Approximately 80% of defects come from 20% of modules


Evidence: several studies, including Zeller's own evidence :-)



The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)


# Deriving Test Case Specs

- Input values enumerated in previous step
- Now: need to take care of *combinations*
- Typically, one uses models *and* representative values to generate



The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

# Combinatorial Testing




Many domains come as a combination of individual inputs. We therefore need to cope with a combinatorial explosion.

# Combinatorial Testing

- Eliminate invalid combinations  
IIS only runs on Windows, for example
- Cover *all pairs* of combinations  
such as MySQL on Windows and Linux
- Combinations typically generated automatically  
and – hopefully – tested automatically, too

# Pairwise Testing



Pairwise testing means to cover every single pair of configurations

52


# Testing environment

- Millions of configurations
- Testing on dozens of different machines
- All needed to find & reproduce problems

In practice, such testing needs hundreds and hundreds of PCs in every possible configuration – Microsoft, for instance, has entire buildings filled with every hardware imaginable  
Source: <http://www.ci.newton.ma.us/MIS/Network.htm>

53


# Deriving Test Case Specs



The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)

54

# Deriving Test Cases



- Implement test cases in code
- Requires building *scaffolding* – i.e., drivers and stubs

55

The main steps of a systematic approach to functional program testing (from Pezze + Young, “Software Testing and Analysis”, Chapter 10)


# Unit Tests

- Directly access units (= classes, modules, components...) at their programming interfaces
- Encapsulate a set of tests as a single syntactical unit
- Available for all programming languages (JUNIT for Java, CPPUNIT for C++, etc.)

Here’s an example for automated unit tests – the well-known JUnit

56

# Deriving Test Cases




57

The main steps of a systematic approach to functional program testing (from Pezze + Young, “Software Testing and Analysis”, Chapter 10)

# Systematic Functional Testing

The main steps of a systematic approach to functional program testing (from Pezze + Young, "Software Testing and Analysis", Chapter 10)



58

### Systematic Functional Testing

### Systematic Partition Testing

Failure (valuable test case)  
 No failure

Failures are sparse in the space of possible inputs... but dense in some parts of the space

The space of possible input values (the hypothesis)

If we systematically test some cases from each part, we will include the dense parts

Functional testing is one way of drawing orange lines to isolate regions with likely failures

Testing Tactics

Functional  
"black box"

Structural  
"white box"

### Transition Coverage

### MC/DC Criterion

- Tests based on specification as much as possible
- Test coverage implemented as possible

	Education			Individual			
Education accounts	F	T	F	F	F	F	F
Current purchase > Threshold 1	-	-	F	F	T	T	-
Current purchase > Threshold 2	-	-	-	-	F	T	T
Special price < scheduled price	F	T	F	T	-	-	-
Special price < Tier 1	-	-	-	-	F	T	-
Special price < Tier 2	-	-	-	-	-	-	F
Out	Edu. discount	Special price	No. discount	Special price	Tier 1. discount	Special price	Tier 2. Special Price

59