# From Requirements to Design

- Describe requirements as use cases
- Refine use cases to alternate scenarios
- Identify classes and operations

#### SafeHome



### Use-Case Template for Surveillance

Use-case: Access camera surveillance—display camera views (ACS-DCV).

Primary actor: Goal in context:

Homeowner.

To view output of camera placed throughout the house from any remote location via the Internet. System must be fully configured; appropriate user ID and passwords must be obtained.

Preconditions:

The homeowner decides to take a look inside the house while away.

## Scenario:

Trigger:

- The homeowner logs onto the SafeHome Products Web site.
- 2. The homeowner enters his or her user ID.
- 3. The homeowner enters two passwords (each at least eight characters in length).
- 4. The system displays all major function buttons.
- The homeowner selects "surveillance" from the major function buttons.
- 6. The homeowner selects "pick a camera."
- 7. The system displays the floor plan of the house.
- 8. The homeowner selects a camera icon from the floor plan.

- 9. The homeowner selects the "view" button.
- The system displays a viewing window that is identified by the camera ID.
- The system displays video output within the viewing window at one frame per second.

## Exceptions

- ID or passwords are incorrect or not recognized see use-case: "validate ID and passwords."
- Surveillance function not configured for this system system displays appropriate error message; see usecase: "configure surveillance function."
- Homeowner selects "view thumbnail snapshots for all cameras"—see use-case: "view thumbnail snapshots for all cameras."
- A floor plan is not available or has not been configured—display appropriate error message and see use-case: "configure floor plan."
- An alarm condition is encountered—see use-cose: "alarm condition encountered."

Priority: Moderate priority, to be

implemented after basic functions.


When available: Third increment.
Frequency of use: Infrequent.

## Initial Use Case

Use case: display camera views

Actor: homeowner

If I'm at a remote location, I can use any PC with appropriate browser software to log on to the SafeHome Web site. I enter my user ID and two levels of passwords and, once I'm validated, I have access to all the functionality. To access a specific camera view, I select "surveillance" and then "select a camera". Alternatively, I can look at thumbnail snapshots from all cameras by selecting "all cameras". Once I choose a camera, I select "view"...



## Requirements for

## Potential Classes

I. Retained Information

The information is necessary for the system to function

2. Needed Services

The potential class must have a set of potential operations

3. Multiple Attributes

We are focusing on potential classes with more than one attribute


4. Common Attributes and Operations

The attributes and operations apply to all instances of the class

5. Essential Requirements

External entities – producers and consumers of information – almost always become classes

# A CRC index card



# Classes and Methods

- Class-Responsibility-Collaborator (CRC) modeling is a simple means for identifying and organizing classes
- Makes use of virtual or actual index cards

# **CRC** Responsibilities

- System intelligence should be distributed across classes (→ modularity)
- State responsibilities as general as possible
   (→ abstraction)
- Information and related behavior goes into the same class (→ encapsulation)
- Information about one thing should be localized in a single class (→ modularity)
- Responsibilities should be shared among related classes (→ hierarchy)