

User Interface Design and Usability

Software Engineering
Rahul Premraj + Andreas Zeller • Saarland University

Credits: Robert Miller, MIT
Mary Czerwinski, MSR



Dilbert May 7,
2012

What we expect

1. A set of *requirements*
contract style • ≤ 4 pages
2. A set of *use cases*
Pressman style • $\sim 10-20$ pages
3. A GUI design
covering all “must-have” and most “may-have” use cases
4. Architectural models and data models
covering all “must-have” and most “may-have” use cases
5. An executable *prototype*
covering all “must-have” use cases

User Interface Design and Usability

Software Engineering
Rahul Premraj + Andreas Zeller • Saarland University

Credits: Robert Miller, MIT
Mary Czerwinski, MSR

<http://www.ingenfeld.de/>

What is good design?



Check the link for examples of bad designs.

Don't go to the right?




<http://www.baddesigns.com/examples.html>

What do these symbols mean?



Real example from a (expensive) car (as in the picture, no idea which model)---the icons on the buttons placed on the car's dashboard are unclear. I have highlighted the vague ones in red.

How much is the gas?



It is not obvious which label belongs to which field.

Interface



Examples of "cool" interfaces.

What is Design?



*Design is not just
what it looks like
and feels like.*


*Design is how it
works.*

What is Design?



Super cool chopstick - the front end doesn't touch the table.

What is Design?




Apple isn't perfect. Some examples of problems with Apple products – faulty CDs, discolored handrests, smoking connectors, and exploding batteries.

What is Design?



2007
Balenciaga Collection

It is easy to overdo design and make the product utterly useless.



User is centric to design. Every decision should be made keeping the user in mind.

User-Centric Design

- Cost saving!
- Competitive market - user expectations.
- Political demands
- Is Help always helpful?


Why User-Centric Design?

Visual Perception



- We excel at pattern recognition.
- We automatically try to organize visual displays and look for cues.
- Motion, grouping, contrast, color can make different parts of a display more or less salient.

Learning




- Learning is improved by organization.
- Consistency and mnemonics improve learning.
- Targeted feedback facilitates learning.
- Learning occurs across people and organizations.

Learning



- Incrementally presented information accelerates learning.
- Some users like to explore systems to learn; others will not.
- Workers focus on accomplishing tasks, not learning software.

Color



- Red-green color blindness (protanopia & deuteranopia)
 - 8% of males
 - 0.4% of females
- Blue-yellow color blindness (tritanopia)
 - Far more rare
- Guideline: don't depend solely on color distinctions
 - use redundant signals: brightness, location, shape


Protanopia = absence of red receptors

Deuteranopia = absence of green receptors

Tritanopia = absence of blue receptors




Traffic lights are readable even for color-blind people (due to location of lights). Also notice the blueish tint in the "green" light.



Example of an Ishihara color test plate.


[Note 1] The numeral "74" should be clearly visible to viewers with normal color vision. Viewers with [dichromacy](#) or anomalous [trichromacy](#) may read it as "21", and viewers with [achromatopsia](#) may not see numbers. [Wikipedia]

Traditional Waterfall Model



Traditional Waterfall Model


with Feedback



Waterfall Model Poor for UI Design

- UI design is risky.
 - So we are likely to get it wrong.
- Users are not involved in validation until acceptance testing.
 - So we won't find out until the end.
- UI flaws often cause changes in requirements and design.
 - So we have to throw away carefully written and tested code.

Iterative Design




Iterative design is the current best-practice process for developing user interfaces. It's a specialization of the spiral model described by Boehm for general software engineering.

Why NOT Iterative Design?

- Every iteration corresponds to a release
 - Evaluation (complaints) feeds back into next version's design
- Using your paying customers to evaluate your usability
 - They won't like it
 - They won't buy version 2

Spiral Model



each iteration has a cost or fidelity or accuracy

Spiral Model Iterations

- Early iterations use cheap prototypes (paper prototyping).
- Later iterations have richer implementations.
- More iterations generally means better UI.
- Only mature iterations are seen by the world.

Paper Prototyping




Figure 1.1 A hand-drawn paper prototype of a screen from an application used to design filters for scientific data.


Paper Prototyping

Credits: Nielsen Norman Group


-
-
-
-
-
-
-

Paper Prototyping

Credits: Nielsen Norman Group



I4F - Directory Profile Page



Profile Name

245 Blackfriars Road
Ludgate House
London, SE1 9UY

Email: firstname@surname.com
Telephone: 0207 955 3705



Categories

Lorem ipsum
dolor sit
amet
dolor sit

Wireframing

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi consectetur nibh feugiat urna elementum facilisis. Nullam diam arcu, lobortis ut tincidunt vel, suscipit quis lectus. Praesent interdum sapien in nisi tempor vestibulum. Mauris nec mauris sapien. Nam laoreet nisi non magna iaculis vitae convallis lorem porttitor.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi consectetur nibh feugiat urna elementum facilisis. Nullam diam arcu, lobortis ut tincidunt vel, suscipit quis lectus. Praesent interdum sapien in nisi tempor vestibulum. Mauris nec mauris sapien.



Attachments

- Lorem ipsum dolor sit amet.
- Lorem ipsum dolor sit amet.
- Lorem ipsum dolor sit amet.
- Lorem ipsum dolor sit amet.

created with Balsamiq Mockups - www.balsamiq.com

Benefits

- Fast way to mock up an interface - no coding required.
- Finds a variety of problems with the interface.
- Allows an interface to be refined based on user feedback before implementation begins.
- A multidisciplinary team can participate.
- Encourages creativity from the product team and users alike.

Credits: Paper Prototyping

Disadvantage

- Doesn't produce any code.
- Does not find all classes of problems with an interface.
- Can affect the way users interact with the interface.
- Users might think it is unprofessional.
- Has stronger benefits in some situations than in others.

Credits: Paper Prototyping

For 2nd pt., imagine you need to test how to draw a curved line on Adobe Photoshop or how to operate an ego shooter. Paper prototyping is not the best way!

UI Analysis & Design

- Iterative Design using a Spiral Model.
- Early focus on users and tasks.
 - ▶ User analysis: who the users are.
 - ▶ Task analysis: what they need to to?
 - ▶ Involve users as evaluators, consultants and sometimes designers.
- Constant Evaluation

Based on Rob Miller: "UI Design and Implementation – User-Centered Design"

Know Your User

- Novice
- Knowledgeable, intermittent user
- Knowledgeable, frequent user
- Age, gender, ethnicity
- Physical abilities
- Domain experience
- Application experience
- Work environment
- Communication patterns

Know Your User

- Techniques
 - Questionnaires
 - Interviews
 - Observations
- Obstacles
 - Artificial barriers between developers and users.
 - Some users are expensive to talk to.

Example: Self-Service Grocery Checkout

- Who are the users?
 - Grocery shoppers
 - Wide age range
 - Possibly no computer experience
 - No training
 - Knowledge of products, but not management
 - Shoppers help each other.
-
- Mostly women with small children.
 - Store assistants to help users.



Let's look at an example. Suppose we've been charged with designing a system that will allow grocery shopper to ring up and pay for their purchases themselves.

Task Analysis

- Identify the individual tasks to be solved.
- Each task is a goal.
- Start with the big goal and then, decompose hierarchically.
 - Overall goal: Shoppers want to purchase groceries.
 - Tasks:
 - Register groceries into the system.
 - Pay



The next step is figuring out what tasks are involved in the problem. A task should be expressed as a goal: what needs to be done, not how.

Essential Parts of Task Analysis

1. What must be done?

- Goal

2. What must be done before to make it possible?

- Preconditions
 - Tasks on which this task depends
 - Information that must be known to the user

3. What steps are involved in doing the task?

- Subtasks (may be decomposed recursively)

Once you've identified a list of tasks, fill in the details on each one. Every task in a task analysis should have at least these parts.

Example: Self-Service Grocery Checkout

- Goal
 - Enter groceries into register
- Preconditions
 - All groceries that you want are in the cart
- Subtasks
 - Enter pre-packaged items
 - Bag loose items, weigh and register them.



Dangers of Task Analysis

- Duplicating a bad existing procedure in software.
- Example: Flipping through a book
- Failing to capture good aspects of existing procedure
- Ask users *why* they do what they do, not just what they do

Suppose we did a task analysis by observing users interacting with paper manuals. We'd see a lot of page flipping: "Find page N" might be an important subtask. We might naively conclude from this that an online manual should provide really good mechanisms for paging & scrolling, and that we should pour development effort into making those mechanisms as fast as possible. But page flipping is an artifact of physical books! It would pay off much more to have fast and effective searching and hyperlinking in an online manual. That's why it's important to focus on why users do what they do, not just what they do.

Improve Task Analysis

- Questions to ask
 - Why do you do this? (goal)
 - How do you do it? (subtasks)
- Look for weaknesses in current situation
 - Goal failures, wasted time, user irritation
- Contextual inquiry
- Participatory design

Observe users doing real work,
Challenge assumptions and probe
surprises

User Design Principles



Usability Principles

Jakob Nielsen



Nielsen's 10 Principles
Of UI Design

Nielsen's Principles

1. Match the real world
2. Consistency and Standards
3. Help and Documentation
4. User Control and Freedom
5. Visibility of System Status
6. Flexibility and Efficiency
7. Error Prevention
8. Recognition, not Recall
9. Error Reporting, Diagnosis, Recovery
10. Aesthetic and Minimalist Design



Match the Real World



THE PROBLEM IS YOUR MODEM CAN'T INTERFACE WITH YOUR ISP BECAUSE YOUR RJ 11 CABLE NEEDS UPGRADING

WILL IT COST MUCH?

THAT DEPENDS ON WHETHER YOU KNOW I JUST SAID "YOU NEED A LONGER PHONE CORD"



Match the Real World

- Examples
 - Desktop
 - Trashcan
- Dangers of metaphors
 - Often hard for designers to find
 - Deceptive
 - Constraining
 - Breaking the metaphor
- Use of a metaphor doesn't excuse other bad design decisions

Direct Manipulation

- User interacts with visual representation of data objects
 - Continuous visual representation
 - Physical actions or labeled button presses
 - Rapid, incremental, reversible, immediately visible effects
- Examples
 - Files and folders on a desktop
 - Scrollbar
 - Dragging to resize a rectangle
 - Selecting text
- Visual representation and physical interaction are important

Affordances

of direct manipulation

- Perceived and actual properties of a thing that determine how the thing could be used
 - *Chair* is for sitting
 - *Knob* is for turning
 - *Button* is for pushing
 - *Listbox* is for selection
 - *Scrollbar* is for continuous scrolling or panning
- Perceived vs. actual

Natural Mapping

- Physical arrangement of controls should match arrangement of function
- Best mapping is direct, but natural mappings don't have to be direct
 - Light switches
 - Stove burners
 - Turn signals
 - Audio mixer




Feedback / Responsiveness

- Actions should have immediate, visible effects
 - Push buttons
 - Scrollbars
 - Drag & drop
- Kinds of feedback
 - Visual
 - Audio
 - Haptic (conveyed by sense of touch)



Consistency and Standards

2




Guidelines for Mac, Windows, Gnome, KDE, Android, iOS...

UI and writing!

Help and Documentation


3

Help should be (a) searchable, (b) context-sensitive, (c) task sensitive, (d) concrete, (e) short, (f) **not needed**



User Control and Freedom


4



Provide Undo
Long operations should be allowed to be paused/suspended
all dialogs should have a cancel button

Visibility of System Status


5



change cursor to indicate action
use highlights to show selected objects
use status bar to show progress

Flexibility and Efficiency


6



Recently-used history is one very useful kind of shortcut, like this recently-used files menu

Error Prevention

7



Murphy's Law - "if something can go wrong, it will"

One way to prevent errors is to allow users to **select** rather than **type**.

Misspellings then become impossible.

Recognition, not Recall

8



use menus, not command languages


use combo boxes, not textboxes

use generic commands

all needed information must be visible

Error Reporting, Diagnosis, Recovery

9



A good error message should (1) be precise; (2) speak the user's language, avoiding technical terms and details unless explicitly requested; (3) give constructive help; and (4) be polite

Aesthetic and Minimalist Design

10



Microsoft designs the iPod package



User Interface Testing

- How do you know you did everything well?
- Only way: Have real users test it!

Email "A Tale of Two Cities"

This task was performed using Suse 9.3 in a Portable Lab on the GNOME desktop. The test was administered in English. The following is a description of the task:

Your friend Arthur loves "A Tale of Two Cities". Please email the electronic book to him. His email address is arthur@ximian.com.



Task: Email A Tale of Two Cities to arthur@ximian.com; Subject14 <http://www.betterdesktop.org/wiki/index.php?title=Data>

Issues Encountered

- Mail Client is referred to as “Evolution” (not “Mail” or similar)
- “Send/Receive” Button does not compose mail (but syncs with server)
- Attachment list hidden by default
- 20% of users failed to send mail
- Average *successful* time was 4:23 minutes


<http://www.betterdesktop.org/welcome/reports/report-email-book.html>

Reaction

- Typically, when project managers observe their design undergoing a usability test, their initial reaction is:

Where did you find such stupid users?


Eye tracking



The following heatmap from one of our eyetracking studies shows how users looked at this homepage. Their task was to find the current population of the United States.

GUI Hall of Shame


This and the following are poor examples of GUI design. In this slide, there is basically so many options, full of text, non-descriptive icons.



<http://homepage.mac.com/bradster/iarchitect/>


Tabs

Too many tabs???



Rewind

This seems to be a print dialog. Only the designers know what does the "rewind" button mean.




MS super letter writing assistant!

Help




In Microsoft Assistant Killed in Denver, it was reported that Microsoft program managers demonstrated a technique to kill the assistant to a crowd attending a development conference.

Options



On MS-word, there are so many possible effects on the same text. Note that options such as Strikethrough and Doublestrikethrough can be opted together for the same text. Similarly subscript and supersubscript.

Puzzle



503 Polite People




"503 polite people say hello first"

Type "Mismatch"




The poor secretary, confronted with this message, simply typed "mismatch" – without success :-(

Interface



Summary

Spiral Model



Nielsen's Principles

1. Match the real world
2. Consistency and Standards
3. Help and Documentation
4. User Control and Freedom
5. Visibility of System Status
6. Flexibility and Efficiency
7. Error Prevention
8. Recognition, not Recall
9. Error Reporting, Diagnosis, Recovery
10. Aesthetic and Minimalist Design